

AD-A048 318 FEDERAL COBOL COMPILER TESTING SERVICE WASHINGTON D C  
COBOL COMPILER VALIDATION SUMMARY REPORT.(U)  
JAN 78

FEDERAL COBOL COMPILER TESTING SERVICE WASHINGTON D C  
COBOL COMPILER VALIDATION SUMMARY REPORT.(U)  
JAN 78

**F/6 9/2**

**UNCLASSIFIED**

FCCTS/CCVS74-VSR270

NL

ADL  
A048318

END  
DATE  
FILMED

2-78

DDC

AD A 048318


**FEDERAL  
COBOL  
COMPILER  
TESTING  
SERVICE**

**VALIDATION  
SUMMARY  
REPORT**



Department of the Navy  
(ADPESO)

Washington, D.C.  
20376



**DISTRIBUTION STATEMENT A**

Approved for public release;  
Distribution Unlimited

|                                 |   |
|---------------------------------|---|
| ACCESSION                       |   |
| NTIS                            | Write Section <input checked="" type="checkbox"/> |
| DDC                             | Both Section <input type="checkbox"/>             |
| UNANNOUNCED                     | <input type="checkbox"/>                          |
| JUSTIFICATION                   |   |
| BY                              |   |
| DISTRIBUTION/AVAILABILITY CODES |   |
| Dist.                           | AVAIL. AND/OR SPECIAL                             |
| A                               |   |

10

6 COBOL COMPILER  
VALIDATION SUMMARY REPORT.

14 FCCTS

VALIDATION NUMBER CCVS74-VSR270

11 6 Jan 78

12 70 p.

Prepared By:

FEDERAL COBOL COMPILER TESTING SERVICE  
DEPARTMENT OF THE NAVY  
WASHINGTON, D.C. 20376

DDC  
RECEIVED  
JAN 12 1978  
RECEIVED

DISTRIBUTION STATEMENT A  
Approved for public release;  
Distribution Unlimited

408438

Long

|   |  |                                |  |                              |
|---|--|--------------------------------|--|------------------------------|
| BIBLIOGRAPHIC DATA SHEET  |  | 1. Report No.<br>CCVS74-VSR270 | 2.   | 3. Recipient's Accession No. |
| 4. Title and Subtitle<br>Validation Summary Report # CCVS74-VSR270 (Assigned by Manager CDC CYBER NOS 1.2 COBOL 5.1 of Testing)   |  |                                | 5. Report Date<br>6 JAN 1978                     |                              |
| 7. Author(s)<br>Same as organization - see 9.   |  |                                | 8. Performing Organization Rept. No.             |                              |
| 9. Performing Organization Name and Address<br>Federal COBOL Compiler Testing Service<br>Department of the Navy<br>Washington, D. C. 20376  |  |                                | 10. Project/Task/Work Unit No.                   |                              |
| 12. Sponsoring Organization Name and Address<br>Automatic Data Processing Equipment Selection Office<br>Department of the Navy<br>Washington, D. C. 20376   |  |                                | 11. Contract/Grant No.                           |                              |
|   |  |                                | 13. Type of Report & Period Covered              |                              |
| 15. Supplementary Notes   |  |                                | 14.  |                              |
| 16. Abstracts<br>This Validation Summary Report (VSR) for the CDC CYBER COBOL Compiler Version 5.1 RL460( NOS Version 1.2 ) provides a consolidated summary of the results obtained from the validation of the subject compiler against the 1974 COBOL Standard (X3.23-1974/FIPS PUB 21-1). The compiler was validated at the high level of FIPS PUB 21-1. The VSR is made up of several sections showing the discrepancies found. These include an overview of the validation which lists all categories of discrepancies by level/module within X3.23-19 , a section relating the categories of discrepancies to each of the Federal levels of the language; and a detailed listing of discrepancies together with the tests which were failed. |  |                                |  |                              |
| 17. Key Words and Document Analysis. 17a. Descriptors<br>Programming Languages<br>Standards<br>Compilers<br>COBOL<br>Verifying<br>Proving Program Correctness<br>Software Engineering   |  |                                |  |                              |
| 17b. Identifiers/Open-Ended Terms<br>CCVS<br>CVS  |  |                                |  |                              |
| 17c. COSATI Field/Group 09/02   |  |                                |  |                              |
| 18. Availability Statement<br>Release unlimited.  |  |                                | 19. Security Class (This Report)<br>UNCLASSIFIED | 21. No. of Pages             |
|   |  |                                | 20. Security Class (This Page)<br>UNCLASSIFIED   | 22. Price                    |



# COBOL COMPILER VALIDATION

|   |  |
|---|--|
| 1. Validation Number                                      | CCVS74-VSR270  |
| 2. Vendor   | Control Data Corporation   |
| 3. Mainframe  | CYBER 74   |
| 4. Compiler Identification                                | COBOL 5.1, Release Level 460<br>with SORT 4.5, Release Level 460 |
| 5. Operating System Identification                        | NOS 1.2, Release Level 460                                       |
| 6. Compiler Validation System Version Number              | CCVS74 2.0   |
| 7. Federal Information Processing<br>Standard Publication | 21-1   |

\*PLEASE NOTE. The Federal COBOL Compiler Testing Service may make full and free public disclosure of the Validation Summary Report (VSR) in accordance with the "Freedom of Information Act" (5 U.S.C. #552). The results of this validation are only for the purpose of satisfying United States Government requirements, and apply only to the Computer System, Operating System release, and compiler version identified in the VSR. The COBOL Compiler Validation System is used to determine, insofar as is practical, the degree to which the subject compiler conforms to the Federal COBOL Standard. Thus, the VSR is necessarily discretionary and judgmental. The United States Government does not represent or warrant that the statements, or any one of them, set forth in the VSR are accurate or complete. The VSR is not meant to be used for the purpose of publicizing the findings summarized therein.

For information concerning this compiler you can contact the vendor's designated representative named below:

Mr. W. M. Kane  
Control Data Corporation  
6003 Executive Boulevard  
Rockville, Maryland 20852

408438

## TABLE OF CONTENTS

|              |   |    |
|--------------|---|----|
| SECTION 1.   | INTRODUCTION  | 1  |
| 1.1          | Purpose of the Validation Summary Report            | 1  |
| 1.2          | Preparation of the VSR                              | 1  |
| 1.3          | Organization of the VSR                             | 1  |
| 1.4          | Abstract Covering Compliance to ANS COBOL           | 2  |
| 1.5          | Federal Standard COBOL                              | 5  |
| 1.6          | Use of the VSR                                      | 7  |
| 1.7          | Sources of Additional Information                   | 8  |
| 1.8          | Requests for Interpretation                         | 8  |
| 1.9          | Modules and Language Elements Excluded from Testing | 8  |
| 1.10         | Timeliness of the Validation Summary Report         | 9  |
| SECTION 2.   | DETAILED EVALUATION OF ERRORS                       | 10 |
| 2.1          | Nucleus Level 1                                     | 12 |
| 2.2          | Nucleus Level 2                                     | 17 |
| 2.3          | Table Handling Level 1                              | 20 |
| 2.4          | Table Handling Level 2                              | 21 |
| 2.5          | Sequential I-O Level 1                              | 22 |
| 2.6          | Sequential I-O Level 2                              | 24 |
| 2.7          | Relative I-O Level 1                                | 25 |
| 2.8          | Relative I-O Level 2                                | 27 |
| 2.9          | Indexed I-O Level 1                                 | 28 |
| 2.10         | Indexed I-O Level 2                                 | 30 |
| 2.11         | Sort-Merge Level 1                                  | 31 |
| 2.12         | Sort-Merge Level 2                                  | 32 |
| 2.13         | Report Writer Level 1                               | 33 |
| 2.14         | Segmentation Level 1                                | 35 |
| 2.15         | Segmentation Level 2                                | 36 |
| 2.16         | Library Level 1                                     | 37 |
| 2.17         | Library Level 2                                     | 38 |
| 2.18         | Debug Level 1                                       | 39 |
| 2.19         | Debug Level 2                                       | 40 |
| 2.20         | Inter-Program Communication Level 1                 | 41 |
| 2.21         | Inter-Program Communication Level 2                 | 42 |
| 2.22         | Communication Level 1                               | 43 |
| 2.23         | Communication Level 2                               | 44 |
| SECTION 3.   | COMPILER STATUS                                     | 45 |
| 3.1          | Federal Standard COBOL                              | 45 |
| 3.2          | American National Standard COBOL                    | 45 |
| SECTION 4.   | SOFTWARE ENVIRONMENT                                | 46 |
| SECTION 5.   | ASCII VALIDATION                                    | 48 |
| 5.1          | Purpose of ASCII Validation                         | 48 |
| 5.2          | Applicable ANSI Standards                           | 48 |
| 5.3          | ASCII Validation Process                            | 49 |
| 5.4          | Results for This Validation                         | 49 |
| APPENDIX A - | VALIDATION SUMMARY WORKING DOCUMENT                 | 50 |

## SECTION 1. INTRODUCTION

### 1.1 Purpose of the Validation Summary Report

The purpose of the Validation Summary Report (VSR) is to identify individual COBOL language elements whose implementation does not conform to American National Standard Programming Language COBOL, X3.23-1974, and to Federal Standard COBOL as adopted from the American National Standard by Federal Information Processing Standard 21-1 (FIPS PUB 21-1).

### 1.2 Preparation of the VSR

The Validation Summary Report is prepared by analyzing the results of running the COBOL Compiler Validation System (CCVS). The COBOL Compiler Validation System consists of audit routines containing features of Federal Standard COBOL, their related data, and an executive routine (VP-routine) which prepares the audit routines for compilation. Each audit routine is a COBOL program which includes many tests and supporting procedures indicating the result of the tests.

The testing of a compiler in a particular hardware/operating system environment is accomplished by compiling and executing each audit routine. The report produced by each routine tells whether the compiler passed or failed the tests in the routine. If the compiler rejects some language elements by terminating compilation, giving fatal diagnostic messages, or terminating execution abnormally, then the test containing the code the compiler was unable to process is deleted and the audit routine compilation and execution repeated.

The compilation listings and the output reports of the audit routines constitute the raw data from which the members of the Federal COBOL Compiler Testing Service produce a Validation Summary Report.

### 1.3 Organization of the VSR

The Validation Summary Report is made up of several sections the contents of which are described below.

a. Section 2 summarizes the results of the compilation and execution of the programs comprising the COBOL Compiler Validation System. Section 2 is subdivided into a subsection representing each level of each module defined in American National Standard Programming Language COBOL, X3.23-1974. Each subsection contains a list of all of the language elements which must be implemented in order to claim support of that level/module. The list of language elements will be annotated to include a description of both syntax and semantic errors detected during the validation.

b. Section 3 - FIPS PUB 21-1 defines four Federal levels of the COBOL Standard. Section 3.1 of the VSR lists the discrepancies described in Section 2 by the Federal level in which the problem occurs. Section 3.2 lists discrepancies for the Report Writer Module, which is not a part of Federal Standard COBOL.

c. Section 4 contains information which describes the software environment in which the compiler was tested. This includes the name and version of



the operating system; the implementor-names which were used in the Environment Division of the programs comprising the CCVS; the options used with the compiler; and if applicable, information regarding the use of compiler optimization features.

d. Section 5 contains the results of the ASCII validation. The purpose of these tests is to ascertain whether magnetic tapes written in ASCII code and with ANSI standard labels, and card decks with ASCII code, can be transported between the system being validated and a foreign computer system.

e. Appendix A is the Validation Summary Working Document, a working paper resulting from the compilation and execution of the CCVS, and from which the VSR is derived.

#### 1.4 Abstract Covering Compliance to ANS COBOL

Definition of an Implementation of American National Standard Programming Language COBOL (excerpts from X3.23-1974, Chapter 1, Section 1.5).

An implementation is defined to meet the requirements of the American National Standard COBOL specification if that implementation includes a fully implemented specified level of each of the functional processing modules and of the Nucleus as defined in this Standard. It follows from this that, in order to meet the requirements of this Standard, an implementation must:

a. Not require the inclusion of substitute or additional language elements in the source program, in order to accomplish any part of the function of any of the standard language elements.

b. Accept all standard language elements contained in a given level of a module which is specified as being included in the implementation, except as specifically exempted (as pertaining to specific hardware components for which support is not claimed). See "Elements that Pertain to Specific Hardware Components" below.

These points are of particular pertinence in two areas:

(1) There are throughout the American National Standard COBOL specification certain language elements whose syntax, or effect, is specified to be, in part, implementor-defined. While the implementor specifies the constraints on that portion of each element's syntax or rules that is indicated in this Standard to be implementor-defined, such constraints may not include any requirement for the inclusion in the source program of substitute or additional language elements.

(2) When a function is provided outside the source program that accomplishes a function specified by any particular standard COBOL element, then the implementation must not require, except for Environment Division elements, the specification of that external function in place of or in addition to that standard language element:

The following qualifications apply to the American National Standard COBOL specification:

a. There are certain language elements which pertain to specific types of hardware components. In order for an implementation to meet the require-

ments of this standard, the implementor must specify the minimum hardware configuration required for that implementation and the hardware components that it supports. Further, when support is thus claimed for a specific hardware component, all standard language elements that pertain to that component must be implemented if the module in which they appear is included in the implementation. Language elements that pertain to specific hardware components for which support is not claimed, need not be implemented. However, the absence of such elements from an implementation of American National Standard COBOL must be specified.

b. An implementation of American National Standard COBOL may include the ENTER statement or not, at the option of the implementor.

c. An implementation that includes, in addition to a specified level of each of the functional processing modules and of the Nucleus, elements or functions that either are not defined in the American National Standard COBOL specification or are defined in a given level of a standard module not otherwise included in the implementation, meets the requirements of this Standard. This is true even though it may imply the extension of the list of reserved words by the implementor, and prevent proper compilation of some programs that meet the requirements of this Standard. The implementor must specify any optional language (language not defined in a specified level but defined elsewhere in the Standard) or extensions (language elements or functions not defined in this Standard) that are included in the implementation.

d. In general, the American National Standard COBOL specification specifies no upper limit on such things as the number of statements in a program, the number of operands permitted in certain statements, etc. It is recognized that these limits will vary from one implementation of American National Standard COBOL to another and may prevent the proper compilation of some programs that meet the requirements of this standard.

#### IMPLEMENTOR-DEFINED LANGUAGE SPECIFICATIONS

The language elements in the following lists depend on implementor definitions to complete the specification of the syntax or rules for the elements.

The elements whose syntax is partly implementor-defined are:

| Element<br>-----          | Implementor-Defined Aspect<br>-----                       |
|---------------------------|---|
| SOURCE-COMPUTER paragraph | computer-name   |
| OBJECT-COMPUTER paragraph | computer-name   |
| MEMORY SIZE clause        | integer   |
| alphabet-name             | implementor-name; whether implementor-names are provided. |
| SPECIAL-NAMES paragraph   | implementor-name  |
| ASSIGN clause             | implementor-name  |
| VALUE OF clause           | implementor-name; whether implementor-names are provided. |



|                            |  |
|----------------------------|--|
| RERUN clause               | implementor-name and the form; the implementor provides at least one of seven specified forms. |
| CALL and CANCEL statements | relationship between operand and the referenced program.                                       |
| COPY statement             | relationship between library-name text-name, and the library.                                  |
| ENTER statement            | language-name  |
| Margin R                   | The location.  |
| Area B                     | The number of character positions.   |
| Qualification              | The number of qualifiers; at least five must be supported.                                     |

The elements whose effect is partly implementor-defined are:

| Element<br>-----               | Implementor-Defined Aspect<br>-----  |
|--------------------------------|--|
| alphabet-name                  | The correspondence between native and foreign character sets.  |
| implementor-name switches      | Whether setting can change during execution.   |
| USAGE IS COMPUTATIONAL clause  | Representation and whether automatic alignment occurs.   |
| USAGE IS INDEX clause          | Representation and whether automatic alignment occurs.   |
| SYNCHRONIZED clause            | Whether implicit FILLER positions are generated; their effect on the size of group items and redefining items. |
| ACCEPT statement               | Maximum size of one transfer of data in Level 1 Nucleus.   |
| DISPLAY statement              | Maximum size of one transfer of data in Level 1 Nucleus.   |
| Numeric test                   | Representation of valid sign in the absence of the SIGN IS SEPARATE clause.                                    |
| Comparison of nonnumeric items | Collating sequence, where NATIVE or implementor-name collating sequence is implicitly or explicitly specified. |
| Arithmetic expressions         | Number of places carried for inter-  |

mediate results.

#### Elements That Pertain to Specific Hardware Components

The standard language elements in the list that follows pertain to specific types of hardware components. These language elements must be implemented in an implementation of American National Standard COBOL when support is claimed, by the implementor, for the specific types of hardware components to which they pertain, and the module in which they are defined is included in that implementation.

| Element<br>-----                              | Hardware Component<br>-----   |
|---|---|
| CODE-SET clause                               | Device capable of supporting the specified code.  |
| MULTIPLE FILE TAPE clause                     | Reel  |
| CLOSE...REEL/UNIT statement                   | Reel or mass storage  |
| CLOSE...NO REWIND statement                   | Reel or mass storage  |
| OPEN...REVERSED statement                     | Reel with the capability of making records available in the reversed order; mass-storage with the capability of making records available in the reversed order. |
| OPEN...NO REWIND statement                    | Reel or mass storage  |
| OPEN...I-O statement<br>(Sequential I-O only) | Mass storage  |
| OPEN EXTEND statement                         | Reel or mass storage  |
| REWRITE statement<br>(Sequential I-O only)    | Mass storage  |
| SEND...BEFORE/AFTER<br>ADVANCING statement    | Devices capable of vertical positioning; devices capable of action based on mnemonic-names.   |
| USE...I-O (Sequential<br>I-O only)            | Mass storage  |
| WRITE...BEFORE/AFTER<br>ADVANCING             | Devices capable of vertical positioning; devices capable of action based on mnemonic-name.  |

#### 1.5 The Federal COBOL Standard

The COBOL compiler validation results enclosed in this document reflect the degree to which the subject COBOL compiler implements the Federal COBOL Standard. The Federal COBOL Standard is essentially the same as the American National Standard Programming Language COBOL, X3.23-1974, with two

exceptions:

The Federal COBOL Standard defines 4 levels and the ANSI Standard defines only the minimum COBOL implementation and the full standard. Low and High levels of the Federal COBOL Standard (see 1.5.1) correspond to the above two ANSI levels (minus the Report Writer module). Two additional levels, low-intermediate and high-intermediate have been included in the Federal Standard between the highest and lowest subsets. These additional levels accommodate hardware which cannot support the full standard, but which is capable of implementing more than the minimum standard.

The Federal COBOL Standard states that the Report Writer Module is not mandatory in any Federal level, but that the specifications contained in X3.23-1974 should be used to the extent practical, consistent with requirements.

The Federal COBOL Standard requires that a compiler contain as a minimum the elements specified in at least one of the Federal levels. No restrictions are imposed on the inclusion of selected features from higher levels or even unique vendor extensions. Compatibility among various implementations of a given level containing additional features must be controlled by management imposed standards and restrictions.

#### 1.5.1 Federal Standard COBOL Levels

a. Federal Standard COBOL specifications are the language specifications contained in American National Standard Programming Language COBOL, X3.23-1974. For purposes of the Federal Standard, the modules defined in X3.23-1974 are combined into four levels. Not all computers are large enough to accommodate a COBOL compiler containing the full ANSI Standard. Therefore, the Federal Government requires that all compilers acquired by its agencies contain as a minimum one of the four Federal levels, depending on machine size, configuration and user needs. The knowledge that all computers will support at least one of these four subsets simplifies the task of developing machine-independent COBOL programs.

b. The four levels of Federal Standard COBOL are identified as: Low, Low-Intermediate, High-Intermediate, and High. Each Federal Standard COBOL level is composed of either the high or low levels of the nucleus and ten of the eleven Functional Processing Modules (FPMs) defined in X3.23-1974. The four Federal Standard COBOL levels are reflected in the following table. The numbers in the table refer to the level within the FPM or nucleus as designated in X3.23-1974, and a dash in the table denotes that the corresponding FPM is omitted.

---

| Low<br>Level | Low<br>Inter-<br>mediate<br>Level | High<br>Inter-<br>mediate<br>Level | High<br>Level |
|--------------|-----------------------------------|------------------------------------|---------------|
|--------------|-----------------------------------|------------------------------------|---------------|

---

|                |   |   |   |   |
|----------------|---|---|---|---|
| NUCLEUS        | 1 | 1 | 2 | 2 |
| FPMs           |   |   |   |   |
| TABLE HANDLING | 1 | 1 | 2 | 2 |
| SEQUENTIAL I-O | 1 | 1 | 2 | 2 |
| RELATIVE I-O   | - | 1 | 2 | 2 |
| INDEXED I-O    | - | - | - | 2 |
| SORT-MERGE     | - | - | 1 | 2 |
| REPORT WRITER  | - | - | - | - |
| SEGMENTATION   | - | 1 | 1 | 2 |
| LIBRARY        | - | 1 | 1 | 2 |
| DEBUG          | - | 1 | 2 | 2 |
| INTER-PROGRAM  |   |   |   |   |
| COMMUNICATION  | - | 1 | 2 | 2 |
| COMMUNICATION  | - | - | 2 | 2 |

---

#### 1.5.2 Conformance to Federal Standard COBOL

A compiler implemented in conformance to Federal Standard COBOL must meet at least the following requirements.

a. The implementation must include all of the language elements of at least one of the levels of Federal Standard COBOL.

b. The implementation must meet all of the requirements defined in American National Standard COBOL, X3.23-1974, Section I, paragraph 1.5, Definition of An Implementation of American National Standard COBOL which is provided in section 1.4 of this VSR.

c. The implementation must provide a facility for the user to optionally specify a level of Federal Standard COBOL for monitoring his source program at compile time. The monitoring will be an analysis of the syntax used in a source program against the syntax included in the specified level of Federal Standard COBOL. Any syntax used in the source program that does not conform to that allowed by the user selected level of Federal Standard COBOL will be diagnosed. The syntax diagnosed as not conforming to the specified level will be identified to the user through a diagnostic message on the source program listing. The diagnostic message will contain, at least: (1) The identification of the source program line number in which the nonconforming syntax occurs, (2) the identification of the level of Federal Standard COBOL that supports the syntax or that the syntax is nonstandard COBOL.

#### 1.6. Use of the VSR

The Federal COBOL Compiler Testing Service may make full and free public disclosure of the Validation Summary Report (VSR) in accordance with the "Freedom of Information Act" (5 U.S.C. #552). The results of the validation are only for the purpose of satisfying United States Government requirements, and apply only to the computer system, operating system release, and compiler version identified in the VSR.



The COBOL Compiler Validation System is used to determine, insofar as is practical, the degree to which the subject compiler conforms to the COBOL Standard. Thus, the VSR is necessarily discretionary and judgmental. The United States Government does not represent or warrant that the statements, or any one of them, set forth in the VSR are accurate or complete. The VSR is not meant to be used for the purpose of publicizing the findings summarized therein.

#### 1.7 Sources of Additional Information

FIPS PUB 21-1 defines the Federal COBOL Language Standard. This publication is available from the Office of ADP Standards Management, National Bureau of Standards, Washington, D. C., 20234.

The detailed COBOL language specifications are given in the publication "American National Standard Programming Language COBOL, X3.23-1974", available from the American National Standards Institute, 1430 Broadway, New York, New York 10018.

An explanation of the COBOL Compiler Validation System is contained in the CCVS User's Guide. This document explains how to run the compiler validation system. The User's Guide and a magnetic tape containing a copy of the CCVS programs are available from the National Technical Information Service, Springfield, Virginia, 22151. (Ordering information can be obtained from the Federal COBOL Compiler Testing Service.)

#### 1.8 Requests for Interpretation

Questions regarding this VSR or the CCVS in general should be forwarded to the FCCTS. If any problem cannot be adequately resolved through the FCCTS, the request for interpretation will be forwarded to the Federal COBOL Interpretation Committee for final resolution.

A brochure describing the validation process including the procedures for requesting a validation and resolution of questions involving interpretation of the current Federal Standard is available from the Department of the Navy, Federal COBOL Compiler Testing Service, Washington, D.C. 20376.

#### 1.9 Modules and Language Elements Excluded from Testing

During an official validation, certain CCVS tests may not be used, and certain facilities provided by the subject compiler may not be tested.

##### 1.9.1 Federal Standard COBOL Approved Interpretations

The National Bureau of Standards published in the Federal Register Vol. 41 No. 179, September 14, 1976, an approved interpretation of Federal Standard COBOL as pertains to the evaluation of arithmetic expressions in the COMPUTE statements. This interpretation states that "size of the intermediate result field is implementor-defined."

Since the results of evaluating arithmetic expressions are not predictable, all COMPUTE statements and IF statements containing arithmetic expressions have been removed from the COBOL Compiler Validation System.

##### 1.9.2 Report Writer Module



FIPS PUB 21-1 excludes the Report Writer Module from the Federal COBOL Standard. However, the Report Writer Module is still tested during a validation if support for that module is claimed by the compiler vendor.

#### 1.9.3 Communication Module

Although it is part of Federal Standard COBOL as defined by FIPS PUB 21-1, the Communication Module is not currently tested in the course of an official validation for two specific reasons. First, a large volume of requests for interpretation on this module have been submitted to the cognizant ANSI committee (X3J4) for resolution. Secondly, facilities for testing were insufficient to determine the validity of the Communication Module test programs during the development of CCVS74.

#### 1.9.4 Vendor Omissions or Extensions

Language elements are not tested which have been legitimately omitted from the implementation by the implementor (refer to 1.4). Additionally, no implementor extensions to the standard COBOL language are tested in any way.

#### 1.10 Timeliness of the Validation Summary Reports

The timeliness of the Validation Summary Report is important. Compilers and their related operating system software are modified several times a year. The Compiler Validation System used to validate compilers is also updated during the life of the system. Therefore to ensure that the latest version of both the vendor's compiler and the Validation System are the latest officially released versions, check with the:

Director  
Federal COBOL Compiler Testing Service  
Department of the Navy  
Washington, D. C. 20376  
(202) 697-1247

Please use the Validation Summary Report number of this report when corresponding with the Testing Service.

## SECTION 2. DETAILED EVALUATION OF ERRORS.

This section summarizes the results of the compilation and execution of the programs comprising the COBOL Compiler Validation System (CCVS). The version of the CCVS used during this validation is shown inside the front cover of the VSR.

Section 2 is made up of a variable number of subsections. The number of subsections is dependent on the Level of Federal COPOL being validated. There will be a subsection for each level of each module which is validated. If the high level of a module is validated then there will be two subsections for that module; one for the low level and one for the high level.

A validation of the low level of Federal Standard COBOL would result in three subsections being present. One for Nucleus level 1, one for Sequential I-O level 1, and one for Table Handling level 1.

Each error or deviation noted in this section makes reference to a program or functional COBOL module contained in Appendix A (Validation Summary Working Document). This reference provides the documented results of an occurrence of errors/deviations detected during the running of the CCVS using the compiler within the environment identified within this document. The Validation Summary Working Document is presented in sequence by functional module, functional module level and program number as defined below.

Each program in the COBOL Compiler Validation System is identified by a 5-character program name. The name associates the routine with the functional processing module and level of American National Standard Programming Language COBOL tested within the program.

The five character name has the general format XXNMM. The first two characters are alphabetic and identify the functional module tested by the program. The permissible values are:

- NC - Nucleus
- TH - Table Handling
- SQ - Sequential I-O
- RL - Relative I-O
- IX - Indexed I-O
- ST - Sort-Merge
- RW - Report Writer
- SG - Segmentation
- LB - Library
- DB - Debug
- IC - Inter-Program Communication
- CM - Communication

The third character of the audit routine name is either a 1 or 2, and identifies the level of the functional module being tested. Each module and level is represented by several programs. The fourth and fifth characters of the program name are sequence numbers for programs which test features in the same level of the same functional processing module.

As an example, the program name NC210 is the tenth program in the series of routines which test the second level of the Nucleus module.

## Description of Section 2.

Each error/deviation is noted by number in the left hand margin opposite the language element in question. This number is used in section 3 to categorize errors by Federal level (See 1.5.1). Inserted directly below the language element is a brief description of the error. To the right of the language element is a page reference to X3.23-1974, American National Standard Programming Language COBOL. The reference at the end of the description of the error is to Appendix A which contains the detailed information collected during the validation. The reference is made up of the routine name followed by an A or B (A for compile time or syntax error and B for execution time or semantic error) and a number which makes the error unique in Appendix A.

Example:

### 2.1 Nucleus Level 1

```
.
.
.
Operational symbols: S V P                                II-21
2.1.9 -----
      * The scaling character 'P' is not permitted in a
      * PICTURE character-string.
      *                                     (NC101.A.2)
      -----
.
.
.
```

### 2.2 Sequential I-O Level 1

---

2.1.9 represents the ninth error for Nucleus Level 1

II-21 represents the page in X3.23-1974 where the language element is defined

\* Boxes the description of the error/deviation

NC101.A.2 represents:

Program name - NC101  
Syntax error - A  
second error - 2

## 2.1 NUCLEUS LEVEL 1

|   |      |
|---|------|
| Language Concepts . . . . .                                       | I-75 |
| Characters used for words . . . . .                               | I-76 |
| 0, 1, ..., 9  |      |
| A, B, ..., Z  |      |
| - (hyphen or minus)   |      |
| Characters used for punctuation . . . . .                         | I-65 |
| " quotation mark  |      |
| ( left parenthesis  |      |
| ) right parenthesis   |      |
| . period  |      |
| space   |      |
| = equal sign  |      |
| Characters used in editing. . . . .                               | I-58 |
| B space   |      |
| 0 zero  |      |
| + plus  |      |
| - minus   |      |
| CR credit   |      |
| DB debit  |      |
| Z zero suppress   |      |
| * check protect   |      |
| \$ currency sign  |      |
| , comma   |      |
| . period  |      |
| / stroke  |      |
| Separators. . . . .   | I-75 |
| The separators, semicolon and comma, are not<br>allowed . . . . . | II-1 |
| Character-strings . . . . .                                       | I-76 |
| COBOL words . . . . .   | I-76 |
| Not more than 30 characters                                       |      |
| User-defined words. . . . .                                       | I-76 |
| data-name   |      |
| Must begin with an alphabetic character                           | II-1 |
| Must be unique; may not be qualified. .                           | II-1 |
| level-number  |      |
| mnemonic-name   |      |
| paragraph-name  |      |
| program-name  |      |
| routine-name  |      |
| section-name  |      |
| System-names. . . . .   | I-78 |
| computer-name   |      |
| implementor-name  |      |
| language-name   |      |
| Reserved words. . . . .   | I-79 |
| Key words   |      |
| Optional words  |      |
| Figurative constants. . . . .                                     | I-80 |
| ZERO  |      |
| SPACE   |      |
| HIGH-VALUE  |      |
| LOW-VALUE   |      |
| QUOTE   |      |
| Special-character words . . . . .                                 | I-80 |



|   |      |
|---|------|
| Literals. . . . .   | I-80 |
| Nonnumeric literals have lengths from 1<br>through 120 characters |      |
| Numeric literals have lengths from 1 through<br>18 digits         |      |
| PICTURE character-strings . . . . .                               | I-82 |
| Comment-entries . . . . .   | I-82 |

#### 2.1.1

- 
- \* The contiguous characters "C", "O", "P", and "Y" were parsed
  - \* and treated as a COPY verb in Identification Division comment-
  - \* entries.
  - \* (LB201.A.1, LB202.A.1, LB203.A.1, LB204.A.1, LB205.A.1)
- 

|   |       |
|---|-------|
| Reference Format. . . . .                     | I-105 |
| Sequence number . . . . .                     | I-105 |
| Area A. . . . .                               | I-105 |
| Division header . . . . .                     | I-106 |
| Section header. . . . .                       | I-106 |
| Paragraph header. . . . .                     | I-107 |
| Data Division entries . . . . .               | I-107 |
| Area B. . . . .                               | I-105 |
| Paragraphs. . . . .                           | I-107 |
| Data Division entries . . . . .               | I-107 |
| Continuation of lines . . . . .               | I-106 |
| Only nonnumeric literals may be continued . . | II-1  |
| Comment lines . . . . .                       | I-108 |
| Asterisk (*) comment lines                    |       |
| Stroke (/) comment line                       |       |
| Identification Division . . . . .             | I-94  |
| The PROGRAM-ID paragraph. . . . .             | II-3  |
| The AUTHOR paragraph. . . . .                 | II-2  |
| The INSTALLATION paragraph. . . . .           | II-2  |
| The DATE-WRITTEN paragraph. . . . .           | II-2  |
| The SECURITY paragraph. . . . .               | II-2  |
| Environment Division. . . . .                 | I-95  |
| The SOURCE-COMPUTER paragraph . . . . .       | II-5  |
| computer-name                                 |       |
| The OBJECT-COMPUTER paragraph . . . . .       | II-6  |
| computer-name                                 |       |
| MEMORY SIZE clause                            |       |
| PROGRAM COLLATING SEQUENCE clause             |       |
| The SPECIAL-NAMES paragraph . . . . .         | II-8  |
| implementor-name IS mnemonic-name             |       |
| implementor-name IS mnemonic-name series      |       |
| ON STATUS                                     |       |
| OFF STATUS                                    |       |
| alphabet-name clause                          |       |
| CURRENCY SIGN clause                          |       |
| DECIMAL-POINT clause                          |       |
| Data Division . . . . .                       | I-97  |
| Working-Storage Section . . . . .             | II-11 |
| The data description entry. . . . .           | II-12 |
| The BLANK WHEN ZERO clause. . . . .           | II-14 |



|   |       |
|---|-------|
| The data-name or FILLER clause. . . . .                 | II-15 |
| The JUSTIFIED clause (may be abbreviated JUST). . . . . | II-16 |
| Level-number. . . . .                                   | II-17 |
| 01 through 10 (level numbers must be 2 digits)          | II-13 |
| 77. . . . .   | II-11 |
| The PICTURE clause (may be abbreviated PIC) . . . . .   | II-18 |

## 2.1.2

\* A PICTURE AB9 was flagged as erroneous.

\*

(NC114.A.1)

|   |       |
|---|-------|
| Character-string may contain 30 characters. . . . . | II-18 |
| Data characters: A X 9 . . . . .                    | II-18 |
| Operational symbols: S V P . . . . .                | II-21 |
| Fixed insertion characters. . . . .                 | II-21 |
| 0 (may be used only in edited items)                |       |
| ,   |       |
| B (may be used only in edited items)                |       |
| .   |       |
| \$ (currency sign)                                  |       |
| + and -   |       |
| DB and CR   |       |
| /   |       |
| Replacement or floating characters. . . . .         | II-21 |
| \$ (currency sign)                                  |       |
| + and -   |       |
| Z   |       |
| *   |       |
| Currency sign substitution. . . . .                 | II-21 |
| Decimal point substitution. . . . .                 | II-21 |
| The REDEFINES clause (may not be nested). . . . .   | II-27 |
| The SIGN clause . . . . .                           | II-31 |
| The SYNCHRONIZED clause (may be abbreviated SYNC)   | II-33 |
| The USAGE clause. . . . .                           | II-35 |
| COMPUTATIONAL (may be abbreviated COMP)             |       |
| DISPLAY   |       |
| The VALUE clause. . . . .                           | II-36 |
| literal   |       |
| Procedure Division. . . . .                         | I-99  |
| Conditional expressions . . . . .                   | II-41 |
| Simple condition. . . . .                           | II-41 |
| Relation condition. . . . .                         | II-41 |
| Relational operators                                |       |
| [NOT] GREATER THAN                                  |       |
| [NOT] LESS THAN                                     |       |
| [NOT] EQUAL TO                                      |       |
| Comparison of numeric operands. . . . .             | II-42 |
| Comparison of nonnumeric operands (oper-            |       |
| ands must be of equal size) . . . . .               | II-42 |
| Class condition . . . . .                           | II-43 |
| NOT option  |       |
| Switch-status condition . . . . .                   | II-44 |
| The arithmetic statements . . . . .                 | II-51 |
| Arithmetic operands limited to 18 digits            |       |
| Overlapping operands. . . . .                       | II-51 |
| The ACCEPT statement (only one transfer of data)    | II-53 |
| The ADD statement . . . . .                         | II-55 |

|       |   |       |
|-------|---|-------|
|       | identifier/literal series                             |       |
|       | TO identifier   |       |
|       | GIVING identifier                                     |       |
|       | ROUNDED phrase  |       |
|       | SIZE ERROR phrase                                     |       |
|       | The ALTER statement (only one procedure-name) . .     | II-57 |
|       | The DISPLAY statement (only one transfer of data)     | II-59 |
| 2.1.3 | -----   |       |
|       | * Output of DISPLAYed numeric data was edited.        |       |
|       | * (NC109.B.2, NC158.B.2, NC204.B.2)                   |       |
|       | -----   |       |
|       | The DIVIDE statement . . . . .                        | II-61 |
|       | INTO identifier                                       |       |
|       | BY identifier/literal                                 |       |
|       | GIVING identifier                                     |       |
|       | ROUNDED phrase  |       |
|       | SIZE ERROR phrase                                     |       |
|       | The ENTER statement . . . . .                         | II-63 |
|       | The EXIT statement . . . . .                          | II-64 |
|       | The GO TO statement (procedure-name is required)      | II-65 |
|       | DEPENDING ON phrase                                   |       |
|       | The IF statement (statements must be imperative)      | II-66 |
|       | ELSE phrase   |       |
|       | The INSPECT statement (only single character          |       |
|       | data item) . . . . .                                  | II-68 |
|       | TALLYING phrase                                       |       |
|       | ALL   |       |
|       | LEADING   |       |
|       | CHARACTERS  |       |
|       | REPLACING phrase                                      |       |
|       | ALL   |       |
|       | LEADING   |       |
|       | FIRST   |       |
|       | CHARACTERS  |       |
|       | TALLYING and REPLACING phrases                        |       |
|       | The MOVE statement . . . . .                          | II-74 |
|       | TO identifier   |       |
|       | identifier series                                     |       |
|       | The MULTIPLY statement . . . . .                      | II-77 |
|       | BY identifier   |       |
|       | GIVING identifier                                     |       |
|       | ROUNDED phrase  |       |
|       | SIZE ERROR phrase                                     |       |
|       | The PERFORM statement . . . . .                       | II-78 |
|       | procedure-name  |       |
|       | THRU phrase   |       |
|       | TIMES phrase  |       |
|       | The STOP statement . . . . .                          | II-85 |
|       | literal   |       |
| 2.1.4 | -----   |       |
|       | * STOP QUOTE statement failed to output a quote mark. |       |
|       | * (NC109.B.1, NC158.B.1)                              |       |
|       | -----   |       |
|       | RUN   |       |
|       | The SUBTRACT statement . . . . .                      | II-89 |
|       | identifier/literal series                             |       |
|       | FROM identifier                                       |       |

GIVING identifier  
ROUNDED phrase  
SIZE ERROR phrase

## 2.2 NUCLEUS LEVEL 2

All elements of 1 NUC 1,2 are a part of 2 NUC 1,2

|   |       |
|---|-------|
| Language Concepts. . . . .                                    | I-75  |
| Characters used for punctuation. . . . .                      | I-65  |
| , comma   |       |
| ; semicolon   |       |
| Characters used for arithmetic operations. . . . .            | I-52  |
| + addition  |       |
| - subtraction   |       |
| * multiplication  |       |
| / division  |       |
| ** exponentiation   |       |
| Characters used in relations . . . . .                        | I-66  |
| = equal to  |       |
| > greater than  |       |
| < less than   |       |
| Separators . . . . .  | I-75  |
| The separators, semicolon and comma, are allowed . . .        | II-1  |
| Character-strings. . . . .                                    | I-76  |
| COBOL words. . . . .  | I-76  |
| User-defined words . . . . .                                  | I-76  |
| condition-name  |       |
| data-name   |       |
| Need not begin with an alphabetic character. .                | II-1  |
| May be qualified if necessary for uniqueness .                | II-1  |
| Reserved words . . . . .                                      | I-79  |
| Figurative constants . . . . .                                | I-80  |
| ZEROS; ZEROES   |       |
| SPACES  |       |
| HIGH-VALUES   |       |
| LOW-VALUES  |       |
| QUOTES  |       |
| ALL literal   |       |
| Connectives . . . . .   | I-79  |
| Qualifier connectives: OF, IN                                 |       |
| Series connectives: , (separator comma)                       |       |
| and ; (separator semicolon)                                   |       |
| Logical connectives: AND, OR, AND NOT, OR NOT                 |       |
| Qualification . . . . .                                       | I-87  |
| Reference format . . . . .                                    | I-105 |
| Continuation of lines (continuation of words and              |       |
| numeric literals is allowed) . . . . .                        | II-1  |
| Identification Division. . . . .                              | I-94  |
| The DATE-COMPILED paragraph. . . . .                          | II-4  |
| 2.2.1 -----   |       |
| * Comment-entry was not removed from DATE-COMPILED paragraph. |       |
| * (NC203.A.1)   |       |
| -----   |       |
| Environment Division  |       |
| The SPECIAL-NAMES paragraph. . . . .                          | II-8  |
| alphabet-name clause  |       |
| literal   |       |



|   |       |
|---|-------|
| Data Division . . . . .                                 | I-97  |
| The data description entry . . . . .                    | II-12 |
| Level-number . . . . .                                  | II-17 |
| 01 through 49 (level-numbers may be 1 or 2 digits) .    |       |
| 66  |       |
| 88  |       |
| The REDEFINES clause (may be nested) . . . . .          | II-27 |
| The RENAMES clause (may be nested) . . . . .            | II-29 |
| data-name   |       |
| data-name THRU data-name                                |       |
| The VALUE clause . . . . .                              | II-36 |
| literal-1, literal-2                                    |       |
| literal-1 THRU literal-2                                |       |
| literal range series                                    |       |
| Procedure Division . . . . .                            | I-99  |
| Arithmetic expressions . . . . .                        | II-39 |
| Conditional expressions . . . . .                       | II-41 |
| Simple condition . . . . .                              | II-41 |
| Relational condition . . . . .                          | II-41 |
| Relational operators                                    |       |
| [NOT] =   |       |
| [NOT] >   |       |
| [NOT] <   |       |
| Comparison of nonnumeric operands (operands of          |       |
| unequal size are allowed) . . . . .                     | II-42 |
| Condition-name condition . . . . .                      | II-44 |
| Sign condition . . . . .                                | II-44 |
| NOT option  |       |
| Complex condition . . . . .                             | II-45 |
| Logical operators AND, OR, and NOT                      |       |
| Negated simple condition . . . . .                      | II-46 |
| Combined and negated combined conditions . . . . .      | II-46 |
| Abbreviated combined relation condition . . . . .       | II-47 |
| Multiple results in arithmetic statements . . . . .     | II-51 |
| The ACCEPT statement (no restrictions on the number     |       |
| of transfers of data) . . . . .                         | II-53 |
| FROM phrase   |       |
| The ADD statement . . . . .                             | II-55 |
| TO identifier series                                    |       |
| GIVING identifier series                                |       |
| CORRESPONDING phrase                                    |       |
| The ALTER statement . . . . .                           | II-57 |
| The series option is allowed                            |       |
| The COMPUTE statement . . . . .                         | II-58 |
| identifier series                                       |       |
| ROUNDED phrase  |       |
| SIZE ERROR phrase                                       |       |
| The DISPLAY statement (no restrictions on the number    |       |
| of transfers of data) . . . . .                         | II-59 |
| UPON phrase   |       |
| The DIVIDE statement . . . . .                          | II-61 |
| INTO identifier series                                  |       |
| GIVING identifier series                                |       |
| REMAINDER phrase  |       |
| The GO TO statement (procedure-name may be omitted) . . | II-65 |
| The IF statement (nested statements) . . . . .          | II-66 |



|  |       |
|--|-------|
| The INSPECT statement (multi-character data items) . . | II-68 |
| series   |       |
| The MOVE statement . . . . .                           | II-74 |
| CORRESPONDING phrase                                   |       |
| The MULTIPLY statement . . . . .                       | II-77 |
| BY identifier series                                   |       |
| GIVING identifier series                               |       |
| The PERFORM statement . . . . .                        | II-78 |
| UNTIL phrase   |       |
| VARYING phrase   |       |
| The STRING statement . . . . .                         | II-86 |
| DELIMITED series                                       |       |
| POINTER phrase   |       |
| ON OVERFLOW phrase                                     |       |
| The SUBTRACT statement . . . . .                       | II-89 |
| FROM identifier series                                 |       |
| GIVING identifier series                               |       |
| CORRESPONDING phrase                                   |       |
| The UNSTRING statement . . . . .                       | II-91 |
| DELIMITED BY phrase                                    |       |
| POINTER phrase   |       |
| TALLYING phrase  |       |
| ON OVERFLOW phrase                                     |       |

## 2.3 TABLE HANDLING LEVEL 1

|  |        |
|--|--------|
| Language Concepts                        |        |
| User-defined words. . . . .              | I-76   |
| index-name                               |        |
| Subscripting - 3 levels . . . . .        | I-89   |
| Indexing - 3 levels . . . . .            | I-89   |
| Data Division                            |        |
| The OCCURS clause . . . . .              | III-2  |
| integer TIMES                            |        |
| INDEXED BY index-name series             |        |
| The USAGE IS INDEX clause . . . . .      | III-5  |
| Procedure Division                       |        |
| Relation conditions . . . . .            | III-6  |
| Comparisons involving index-names and/or |        |
| index data items                         |        |
| Overlapping operands. . . . .            | III-6  |
| The SET statement . . . . .              | III-11 |
| index-name/identifier series             |        |
| index-name                               |        |
| UP BY identifier/integer                 |        |
| DOWN BY identifier/integer               |        |
| index-name series                        |        |

## 2.4 TABLE HANDLING LEVEL 2

All elements of 1 TBL 1,2 are a part of 2 TBL 1,2

### Data Division

The OCCURS clause . . . . . III-2  
integer-1 TO integer-2 DEPENDING ON data-name  
ASCENDING/DESCENDING data-name  
data-name series  
ASCENDING/DESCENDING series

### Procedure Division

The SEARCH statement. . . . . III-7  
VARYING phrase  
AT END phrase  
WHEN phrase  
The SEARCH ALL statement. . . . . III-7  
AT END phrase  
WHEN phrase

## 2.5 SEQUENTIAL I-O LEVEL 1

### Language Concepts

|                              |      |
|------------------------------|------|
| User-defined words . . . . . | I-76 |
| file-name                    |      |
| record-name                  |      |
| I-O status . . . . .         | IV-1 |

### Environment Division

|                                      |      |
|--------------------------------------|------|
| The FILE-CONTROL paragraph . . . . . | IV-4 |
| The file control entry . . . . .     | IV-4 |
| SELECT clause                        |      |
| ASSIGN TO implementor-name clause    |      |
| ORGANIZATION IS SEQUENTIAL clause    |      |
| ACCESS MODE IS SEQUENTIAL clause     |      |
| FILE STATUS clause                   |      |
| The I-O-CONTROL paragraph. . . . .   | IV-6 |
| RERUN clause                         |      |
| SAME AREA clause                     |      |
| SAME AREA series                     |      |

### Data Division

|  |       |
|--|-------|
| File Section . . . . .                 | IV-9  |
| The file description entry . . . . .   | IV-10 |
| The record description entry . . . . . | IV-9  |
| The BLOCK CONTAINS clause. . . . .     | IV-11 |
| integer CHARACTERS                     |       |
| integer RECORDS                        |       |
| The CODE-SET clause. . . . .           | IV-12 |

#### 2.5.1

---

\* Run-time loop in program using a file with a CODE-SET clause.  
 \* (SQ111.B.1)

---

|                                      |       |
|--------------------------------------|-------|
| The DATA RECORDS clause. . . . .     | IV-13 |
| data-name                            |       |
| data-name series                     |       |
| The LABEL RECORDS clause . . . . .   | IV-14 |
| STANDARD                             |       |
| OMITTED                              |       |
| The RECORD CONTAINS clause . . . . . | IV-18 |
| integer-1 TO integer-2 CHARACTERS    |       |
| The VALUE OF clause. . . . .         | IV-19 |
| implementor-name IS literal          |       |
| implementor-name IS literal series   |       |

### Procedure Division

|   |       |
|---|-------|
| The CLOSE statement (only a single file-name may appear<br>in a CLOSE statement). . . . . | IV-20 |
| REEL  |       |
| UNIT  |       |
| The OPEN statement (only a single file-name may appear<br>in an OPEN statement). . . . .  | IV-24 |
| INPUT   |       |
| OUTPUT  |       |
| I-O   |       |
| The READ statement . . . . .  | IV-28 |
| INTO identifier   |       |



|                                |       |
|--------------------------------|-------|
| AT END phrase                  |       |
| The REWRITE statement. . . . . | IV-31 |
| FROM identifier                |       |
| The USE statement. . . . .     | IV-32 |
| EXCEPTION/ERROR PROCEDURE      |       |
| ON file-name                   |       |
| ON INPUT                       |       |
| ON OUTPUT                      |       |
| ON I-O                         |       |
| The WRITE statement. . . . .   | IV-34 |
| FROM identifier                |       |
| BEFORE/AFTER integer LINES     |       |
| BEFORE/AFTER PAGE              |       |

## 2.6 SEQUENTIAL I-O LEVEL 2

All elements of 1 SEQ 1,2 are a part of 2 SEQ 1,2

### Language Concepts

|                            |      |
|----------------------------|------|
| Special register . . . . . | I-80 |
| LINAGE-COUNTER. . . . .    | IV-3 |

### Environment Division

|                                      |      |
|--------------------------------------|------|
| The FILE-CONTROL paragraph . . . . . | IV-4 |
| The file control entry . . . . .     | IV-4 |
| SELECT clause                        |      |
| OPTIONAL phrase                      |      |
| RESERVE integer AREA(S) clause       |      |
| The I-O-CONTROL paragraph. . . . .   | IV-6 |
| SAME RECORD AREA clause              |      |
| SAME RECORD AREA series              |      |
| MULTIPLE FILE TAPE clause            |      |

### Data Division

|                                     |       |
|-------------------------------------|-------|
| The file description entry. . . . . | IV-10 |
| The BLOCK CONTAINS clause . . . . . | IV-11 |
| integer-1 TO integer-2 RECORDS      |       |
| integer-1 TO integer-2 CHARACTERS   |       |
| The LINAGE clause . . . . .         | IV-15 |

2.6.1

\* LINES AT BOTTOM clause ignored.

\*

(SQ213.B.1, SQ214.B.1, SQ215.B.1)

FOOTING phrase

TOP phrase

BOTTOM phrase

|                                      |       |
|--------------------------------------|-------|
| The VALUE OF clause . . . . .        | IV-19 |
| implementor-name IS data-name        |       |
| implementor-name IS data-name series |       |

### Procedure Division

|   |       |
|---|-------|
| The CLOSE statement . . . . .                 | IV-20 |
| NO REWIND, REMOVAL, or LOCK                   |       |
| file-name series                              |       |
| The OPEN statement. . . . .                   | IV-24 |
| INPUT   |       |
| REVERSED                                      |       |
| NO REWIND                                     |       |
| OUTPUT  |       |
| NO REWIND                                     |       |
| EXTEND  |       |
| file-name series                              |       |
| INPUT, OUTPUT, I-O, and EXTEND series         |       |
| The USE statement . . . . .                   | IV-32 |
| EXCEPTION/ERROR PROCEDURE ON file-name series |       |
| EXCEPTION/ERROR PROCEDURE ON EXTEND           |       |
| The WRITE statement . . . . .                 | IV-34 |
| BEFORE/AFTER identifier LINES                 |       |
| BEFORE/AFTER mnemonic-name                    |       |
| AT END-OF-PAGE imperative-statement           |       |

## 2.7 RELATIVE I-O LEVEL 1

|                                       |      |
|---------------------------------------|------|
| Language Concepts                     |      |
| User-defined words. . . . .           | I-76 |
| file-name                             |      |
| record-name                           |      |
| I-O status. . . . .                   | V-2  |
| Environment Division                  |      |
| The FILE-CONTROL paragraph. . . . .   | V-5  |
| The file control entry. . . . .       | V-5  |
| SELECT clause                         |      |
| ASSIGN TO implementor-name clause     |      |
| ORGANIZATION IS RELATIVE clause       |      |
| ACCESS MODE clause                    |      |
| SEQUENTIAL                            |      |
| RANDOM                                |      |
| FILE STATUS clause                    |      |
| The I-O-CONTROL paragraph . . . . .   | V-7  |
| RERUN clause                          |      |
| SAME AREA clause                      |      |
| SAME AREA series                      |      |
| Data Division                         |      |
| File Section. . . . .                 | V-10 |
| The file description entry. . . . .   | V-11 |
| The record description entry. . . . . | V-10 |
| The BLOCK CONTAINS clause . . . . .   | V-12 |
| integer CHARACTERS                    |      |
| integer RECORDS                       |      |
| The DATA RECORDS clause . . . . .     | V-13 |
| data-name                             |      |
| data-name series                      |      |
| The LABEL RECORDS clause. . . . .     | V-14 |
| STANDARD                              |      |
| OMITTED                               |      |
| The RECORD CONTAINS clause. . . . .   | V-15 |
| integer-1 TO integer-2 CHARACTERS     |      |
| The VALUE OF clause . . . . .         | V-16 |
| implementor-name IS literal           |      |
| implementor-name IS literal series    |      |
| Procedure Division                    |      |
| The CLOSE statement . . . . .         | V-17 |
| WITH LOCK                             |      |
| file-name series                      |      |
| The DELETE statement. . . . .         | V-19 |
| INVALID KEY phrase                    |      |
| The OPEN statement. . . . .           | V-20 |
| INPUT                                 |      |
| OUTPUT                                |      |
| I-O                                   |      |
| file-name series                      |      |
| INPUT, OUTPUT, and I-O series         |      |
| The READ statement. . . . .           | V-23 |
| INTO identifier                       |      |
| AT END phrase                         |      |

|                                 |      |
|---------------------------------|------|
| INVALID KEY phrase              |      |
| The REWRITE statement . . . . . | V-26 |
| FROM identifier                 |      |
| INVALID KEY phrase              |      |
| The USE statement . . . . .     | V-30 |
| EXCEPTION/ERROR PROCEDURE       |      |
| ON file-name                    |      |
| ON INPUT                        |      |
| ON OUTPUT                       |      |
| ON I-O                          |      |
| The WRITE statement. . . . .    | V-32 |
| FROM identifier                 |      |
| INVALID KEY phrase              |      |



## 2.8 RELATIVE I-O LEVEL 2

All elements of 1 REL 0,2 are a part of 2 REL 0,2

### Environment Division

|                                     |     |
|-------------------------------------|-----|
| The FILE-CONTROL paragraph. . . . . | V-5 |
| The file control entry. . . . .     | V-5 |
| SELECT clause                       |     |
| RESERVE integer AREA(S) clause      |     |
| ACCESS MODE IS DYNAMIC clause       |     |
| The I-O-CONTROL paragraph . . . . . | V-7 |
| SAME RECORD AREA                    |     |
| SAME RECORD AREA entries            |     |

### Data Division

|                                       |      |
|---------------------------------------|------|
| The file description entry. . . . .   | V-11 |
| The BLOCK CONTAINS clause . . . . .   | V-12 |
| integer-1 TO integer-2 RECORDS        |      |
| integer-1 TO integer-2 CHARACTERS     |      |
| The VALUE OF clause . . . . .         | V-16 |
| implementor-name IS data-name         |      |
| implementor-name IS data-name entries |      |

### Procedure Division

|                               |      |
|-------------------------------|------|
| The READ statement. . . . .   | V-23 |
| NEXT RECORD                   |      |
| The START statement . . . . . | V-28 |
| KEY IS phrase                 |      |
| INVALID KEY phrase            |      |
| The USE statement . . . . .   | V-30 |
| EXCEPTION/ERROR PROCEDURE     |      |
| ON file-name series           |      |

## 2.9 INDEXED I-O LEVEL 1

### Language Concepts

|                             |      |
|-----------------------------|------|
| User-defined words. . . . . | I-76 |
| file-name                   |      |
| record-name                 |      |
| I-O status. . . . .         | VI-2 |

### Environment Division

|                                     |      |
|-------------------------------------|------|
| The FILE-CONTROL paragraph. . . . . | VI-5 |
| The file control entry. . . . .     | VI-5 |
| SELECT clause                       |      |
| ASSIGN TO implementor-name clause   |      |
| ORGANIZATION IS INDEXED clause      |      |
| ACCESS MODE clause                  |      |
| SEQUENTIAL                          |      |
| RANDOM                              |      |
| RECORD KEY clause                   |      |
| FILE STATUS clause                  |      |
| The I-O-CONTROL paragraph . . . . . | VI-8 |
| RERUN clause                        |      |
| SAME AREA clause                    |      |
| SAME AREA series                    |      |

### Data Division

|                                       |       |
|---------------------------------------|-------|
| File Section. . . . .                 | VI-11 |
| The file description entry. . . . .   | VI-12 |
| The record description entry. . . . . | VI-11 |
| The BLOCK CONTAINS clause . . . . .   | VI-13 |
| integer CHARACTERS                    |       |
| integer RECORDS                       |       |
| The DATA RECORDS clause . . . . .     | VI-14 |
| data-name                             |       |
| data-name series                      |       |
| The LABEL RECORDS clause. . . . .     | VI-15 |
| STANDARD                              |       |
| OMITTED                               |       |
| The RECORD CONTAINS clause. . . . .   | VI-16 |
| integer-1 TO integer-2 CHARACTERS     |       |
| The VALUE OF clause . . . . .         | VI-17 |
| implementor-name IS literal           |       |
| implementor-name IS literal series    |       |

### Procedure Division

|                               |       |
|-------------------------------|-------|
| The CLOSE statement . . . . . | VI-18 |
| WITH LOCK                     |       |
| file-name series              |       |
| The DELETE statement. . . . . | VI-20 |
| INVALID KEY phrase            |       |
| The OPEN statement. . . . .   | VI-21 |
| INPUT                         |       |
| OUTPUT                        |       |
| I-O                           |       |
| file-name series              |       |
| INPUT, OUTPUT, and I-O series |       |
| The READ statement. . . . .   | VI-24 |
| INTO identifier               |       |

AT END phrase  
 INVALID KEY phrase  
 The REWRITE statement . . . . . VI-28  
 FROM identifier  
 INVALID KEY phrase  
 The USE statement . . . . . VI-32  
 EXCEPTION/ERROR PROCEDURE  
 ON file-name  
 ON INPUT  
 ON OUTPUT  
 ON I-O  
 The WRITE statement . . . . . VI-33  
 FROM identifier  
 INVALID KEY phrase

2.10 INDEXED I-O LEVEL 2

All elements of 1 INX 0,2 are a part of 2 INX 0,2

Environment Division

|                                      |      |
|--------------------------------------|------|
| The FILE-CONTROL paragraph . . . . . | VI-5 |
| The file control entry . . . . .     | VI-5 |
| SELECT clause                        |      |
| RESERVE integer AREA(S) clause       |      |
| ACCESS MODE IS DYNAMIC clause        |      |
| ALTERNATE RECORD KEY clause          |      |
| WITH DUPLICATES phrase               |      |
| The I-O-CONTROL paragraph. . . . .   | VI-8 |
| SAME RECORD clause                   |      |
| SAME RECORD AREA series              |      |

Data Division

|                                      |       |
|--------------------------------------|-------|
| The file description entry . . . . . | VI-12 |
| The BLOCK CONTAINS clause. . . . .   | VI-13 |
| integer-1 TO integer-2 RECORDS       |       |
| integer-1 TO integer-2 CHARACTERS    |       |
| The VALUE OF clause. . . . .         | VI-17 |
| implementor-name IS data-name        |       |
| implementor-name IS data-name series |       |

Procedure Division

|                              |       |
|------------------------------|-------|
| The READ statement . . . . . | VI-24 |
| KEY IS phrase                |       |
| NEXT RECORD                  |       |
| The START statement. . . . . | VI-30 |
| KEY IS phrase                |       |
| INVALID KEY phrase           |       |
| The USE statement. . . . .   | VI-32 |
| EXCEPTION/ERROR PROCEDURE    |       |
| ON file-name series          |       |



## 2.11 SORT-MERGE LEVEL 1

|   |        |
|---|--------|
| Language Concepts                                   |        |
| User-defined words. . . . .                         | I-76   |
| file-name   |        |
| Environment Division                                |        |
| The FILE-CONTROL paragraph. . . . .                 | VII-2  |
| The file control entry. . . . .                     | VII-2  |
| SELECT clause                                       |        |
| ASSIGN TO implementor-name clause                   |        |
| Data Division                                       |        |
| File Section. . . . .                               | VII-5  |
| The sort-merge file description entry . . . . .     | VII-5  |
| The DATA RECORDS clause . . . . .                   | VII-6  |
| The RECORD CONTAINS clause. . . . .                 | VII-7  |
| Procedure Division                                  |        |
| The RELEASE statement . . . . .                     | VII-12 |
| FROM phrase   |        |
| The RETURN statement. . . . .                       | VII-13 |
| INTO phrase   |        |
| AT END phrase                                       |        |
| The SORT statement (only one SORT statement, a STOP |        |
| RUN statement, and any associated input-output      |        |
| procedures allowed in the nondeclarative            |        |
| portion of a program) . . . . .                     | VII-14 |
| KEY data-name                                       |        |
| data-name series                                    |        |
| ASCENDING series                                    |        |
| DESCENDING series                                   |        |
| mixed ASCENDING/DESCENDING                          |        |
| INPUT PROCEDURE phrase                              |        |
| THRU  |        |
| USING phrase  |        |
| OUTPUT PROCEDURE phrase                             |        |
| THRU  |        |
| GIVING phrase                                       |        |

## 2.12 SORT-MERGE LEVEL 2

All elements of 1 SRT 0,2 are a part of 2 SRT 0,2

### Environment Division

|                                     |       |
|-------------------------------------|-------|
| The FILE-CONTROL paragraph. . . . . | VII-2 |
| The file control entry. . . . .     | VII-2 |
| SELECT clause                       |       |
| The I-O-CONTROL paragraph . . . . . | VII-3 |
| SAME RECORD AREA clause             |       |
| SAME SORT/SORT-MERGE AREA clause    |       |
| SAME series                         |       |

### Procedure Division

|   |        |
|---|--------|
| The MERGE statement . . . . .   | VII-8  |
| KEY data-name   |        |
| data-name series  |        |
| ASCENDING series  |        |
| DESCENDING series   |        |
| mixed ASCENDING/DESCENDING  |        |
| COLLATING SEQUENCE phrase   |        |
| USING phrase  |        |
| OUTPUT PROCEDURE phrase   |        |
| THRU  |        |
| GIVING phrase   |        |
| The SORT statement (multiple SORT statements are<br>permitted). . . . . | VII-14 |
| COLLATING SEQUENCE phrase   |        |

## 2.13 REPORT WRITER LEVEL 1

|  |         |
|--|---------|
| Language Concept                             |         |
| User-defined words . . . . .                 | I-76    |
| file-name                                    |         |
| report-name                                  |         |
| Special registers . . . . .                  | I-80    |
| LINE-COUNTER . . . . .                       | VIII-1  |
| PAGE-COUNTER . . . . .                       | VIII-1  |
| Data Division                                |         |
| Report Section . . . . .                     | VIII-2  |
| The file description entry . . . . .         | VIII-3  |
| The report description entry . . . . .       | VIII-4  |
| The report group description entry . . . . . | VIII-6  |
| The BLOCK CONTAINS clause . . . . .          | VIII-24 |
| The CODE clause . . . . .                    | VIII-25 |
| The CODE-SET clause . . . . .                | VIII-26 |
| The COLUMN NUMBER clause . . . . .           | VIII-27 |
| The CONTROL clause . . . . .                 | VIII-28 |
| data-name                                    |         |
| data-name series                             |         |
| FINAL  |         |
| FINAL data-name series                       |         |
| The data-name clause . . . . .               | VIII-30 |
| The GROUP INDICATE clause . . . . .          | VIII-31 |
| The LABEL RECORDS clause . . . . .           | VIII-32 |
| The LINE NUMBER clause . . . . .             | VIII-33 |
| integer                                      |         |
| NEXT PAGE                                    |         |
| PLUS integer                                 |         |
| The NEXT GROUP clause . . . . .              | VIII-35 |
| integer                                      |         |
| PLUS integer                                 |         |
| NEXT PAGE                                    |         |
| The PAGE clause . . . . .                    | VIII-36 |
| integer LINES                                |         |
| HEADING                                      |         |
| FIRST DETAIL                                 |         |
| LAST DETAIL                                  |         |
| FOOTING                                      |         |
| The PICTURE clause . . . . .                 | II-18   |
| The RECORD CONTAINS clause . . . . .         | VIII-39 |
| The REPORT clause . . . . .                  | VIII-40 |
| report-name series                           |         |
| The SOURCE clause . . . . .                  | VIII-41 |
| The SUM clause . . . . .                     | VIII-42 |
| UPON data-name series                        |         |
| RESET phrase                                 |         |
| The TYPE clause . . . . .                    | VIII-45 |
| REPORT HEADING (RH)                          |         |
| PAGE HEADING (PH)                            |         |
| CONTROL HEADING (CH)                         |         |
| DETAIL (DE)                                  |         |
| CONTROL FOOTING (CF)                         |         |
| PAGE FOOTING (PF)                            |         |
| REPORT FOOTING (RF)                          |         |

|                               |         |
|-------------------------------|---------|
| The VALUE IS clause . . . . . | II-36   |
| The VALUE OF clause . . . . . | VIII-50 |

Procedure Division

|                                   |         |
|-----------------------------------|---------|
| The GENERATE statement . . . . .  | VIII-51 |
| report-name                       |         |
| data-name                         |         |
| The INITIATE statement . . . . .  | VIII-53 |
| report-name                       |         |
| The SUPPRESS statement . . . . .  | VIII-54 |
| report-name                       |         |
| The TERMINATE statement . . . . . | VIII-55 |
| report-name series                |         |
| The USE statement . . . . .       | VIII-56 |
| BEFORE REPORTING                  |         |



## 2.14 SEGMENTATION LEVEL 1

### Language Concepts

User-defined words. . . . . I-76  
segment-number

### Procedure Division

Segment-numbers . . . . . IX-4  
Fixed segment-number range 0 through 49  
Non-fixed segment-number range 50 through 99  
All sections with the same segment-number must  
be together in the source program

2.15 SEGMENTATION LEVEL 2

All elements of 1 SEG 0,2 are a part of 2 SEG 0,2

Environment Division

The OBJECT-COMPUTER paragraph

SEGMENT-LIMIT. . . . . IX-5

Procedure Division

Segment-numbers . . . . . IX-4

Sections with the same segment-number need not  
be physically contiguous in the source program

2.16 LIBRARY LEVEL 1

Language Concepts

User-defined words . . . . . I-76  
text-name

All divisions

The COPY statement . . . . . X-2

2.17 LIBRARY LEVEL 2

All elements of 1 LIB 0,2 are a part of 2 LIB 0,2

Language Concepts

User-defined words . . . . . I-76  
library-name

All divisions

The COPY statement . . . . . X-2  
OF library-name  
REPLACING phrase



2.18 DEBUG LEVEL 1

Language Concepts

|                            |      |
|----------------------------|------|
| Special registers. . . . . | I-80 |
| DEBUG-ITEM. . . . .        | XI-1 |

Environment Division

|  |      |
|--|------|
| The SOURCE-COMPUTER paragraph<br>WITH DEBUGGING MODE clause. . . . . | XI-3 |
|--|------|

Procedure Division

|                                      |       |
|--------------------------------------|-------|
| USE FOR DEBUGGING statement. . . . . | XI-4  |
| procedure-name                       |       |
| procedure-name series                |       |
| ALL PROCEDURES                       |       |
| Debugging lines. . . . .             | XI-10 |

2.19 DEBUG LEVEL 2

All elements of 1 DEB 0,2 are a part of 2 DEB 0,2

Procedure Division

USE FOR DEBUGGING statement. . . . . XI-4

ALL REFERENCES OF identifier series

file-name series

cd-name series

## 2.20 INTER-PROGRAM COMMUNICATIONS LEVEL 1

|                                      |       |
|--------------------------------------|-------|
| Data Division                        |       |
| Linkage Section. . . . .             | XII-2 |
| Procedure Division                   |       |
| Procedure Division header. . . . .   | XII-4 |
| USING phrase                         |       |
| The CALL statement . . . . .         | XII-5 |
| literal                              |       |
| USING data-name series               |       |
| The EXIT PROGRAM statement . . . . . | XII-8 |

## 2.21 INTER-PROGRAM COMMUNICATIONS LEVEL 2

All elements of 1 IPC 0,2 are a part of 2 IPC 0,2

### Procedure Division

|                               |       |
|-------------------------------|-------|
| The CALL statement. . . . .   | XII-5 |
| identifier                    |       |
| ON OVERFLOW phrase            |       |
| The CANCEL statement. . . . . | XII-7 |



## 2.22 COMMUNICATION LEVEL 1

-----  
\* The COMMUNICATION Module is not currently evaluated as  
\* part of an official validation. See Section 1.9.3.  
-----

### Language Concepts

User-defined words. . . . . I-76  
    cd-name

### Data Division

Communication Section . . . . . XIII-2  
The communication description entry . . . . . XIII-3  
    FOR INPUT clause  
        END KEY  
        MESSAGE COUNT  
        MESSAGE DATE  
        MESSAGE TIME  
        SYMBOLIC QUEUE  
        SYMBOLIC SOURCE  
        SYMBOLIC SUP-QUEUE-n  
        STATUS KEY  
        TEXT LENGTH  
    FOR OUTPUT clause  
        DESTINATION COUNT  
        DESTINATION TABLE  
        INDEXED BY  
        ERROR KEY  
        SYMBOLIC DESTINATION  
        STATUS KEY  
        TEXT LENGTH

### Procedure Division

The ACCEPT MESSAGE COUNT statement. . . . . XIII-12  
The DISABLE statement . . . . . XIII-13  
    INPUT  
    OUTPUT  
    KEY identifier/literal  
The ENABLE statement. . . . . XIII-15  
    INPUT  
    OUTPUT  
    KEY identifier/literal  
The RECEIVE statement . . . . . XIII-17  
    MESSAGE  
    INTO identifier  
    NO DATA phrase  
The SEND statement. . . . . XIII-20  
    FROM identifier-1 WITH  
    WITH EMI  
    WITH EGI  
    BEFORE/AFTER ADVANCING  
        identifier-3 LINES  
        integer LINES  
        mnemonic-name  
    PAGE

## 2.23 COMMUNICATION LEVEL 2

-----  
\* The COMMUNICATION Module is not currently evaluated as  
\* part of an official validation. See Section 1.9.3.  
-----

All elements of 1 COM 0,2 are a part of 2 COM 0,2

### Communication Section

The communication description entry. . . . . XIII-3  
FOR INPUT  
INITIAL

### Procedure Division

The DISABLE statement. . . . . XIII-12  
INPUT  
TERMINAL  
The ENABLE statement . . . . . XIII-15  
INPUT  
TERMINAL  
The RECEIVE statement. . . . . XIII-17  
SEGMENT  
The SEND statement . . . . . XIII-20  
FROM identifier-1  
WITH identifier-2  
WITH ESI

## SECTION 3. COMPILER STATUS

### 3.1 Federal Standard COBOL

Section 1.5 explains the four levels of Federal Standard COBOL and their relation to American National Standard COBOL. This section lists the discrepancies described in Section 2 by the Federal level in which the problem occurs. All errors listed for a lower level are also errors in any higher level, even though they are listed only in the lower level. The paragraph number from Section 2 is used to reference the errors in each Federal level.

#### 3.1.1 Low Level

- 2.1.1 "COPY" parsed in comment-entries.
- 2.1.2 PICTURE AB9 flagged as erroneous.
- 2.1.3 DISPLAYs of numeric items were edited.
- 2.1.4 Quote mark not output by STOP QUOTE.
- 2.5.1 Run-time loop in program with CODE-SET clause.

#### 3.1.2 Low-Intermediate Level

None

#### 3.1.3 High-Intermediate

- 2.2.1 Comment-entry not removed from DATE-COMPILED paragraph.
- 2.6.1 LINES AT BOTTOM ignored.

#### 3.1.4 High Level

None

### 3.2 American National Standard COBOL

Full American National Standard COBOL consists of the entire set of language elements defined in the ANSI COBOL standard (refer to 1.7). It is also the equivalent of high level Federal Standard COBOL plus the Report Writer module. Therefore, this section lists only those discrepancies found while validating the Report Writer Module.

None

## SECTION 4. SOFTWARE ENVIRONMENT

The compiler referenced in this document was validated using the software environment described in this section. When using a modification of the described environment, the compiler may or may not continue to conform to the Standard. It should be noted that during the validation process, an attempt is made to validate as many different options as possible.

The use of compiler options, implementor-names in the Environment Division and any form of optimization which is not described in this report could cause the compiler to produce a program that does not perform according to the specifications of Standard COBOL. Only the environment described in this document has been used with this compiler to satisfy the requirements of FIPS PUB 21-1 and FPMR 101-32.1305.1a. (Any deviations which must be corrected as per the referenced FPMR are described in Sections 2 and 3 of this report.)

1. Options or parameters used on the processor call statement for the compiler: The following options/parameters were used during the validation.

Options specified: B=LG01 (disposition of binary output)  
DB=B (produce binary regardless of errors)  
CPY (compile all COPY statements)  
X=COLIB (name of library file)  
SB (compile as a subprogram)  
(Not all options were used for all programs)

2. Environment Division implementor-names.

Printer destined files

'OUTPUT' USE 'PRINTF=YES'.

Tape files

For single-file reels:

TAPEnn (where n is a numeric digit)

For multi-file reels:

MULTIOnn

Sequential Mass-storage files

Single-unit:

MSDISCn

Multi-unit:

UNITnn

Relative I-O files

RELn

Indexed I-O files

ISFILEn INDEXn



Sort files

SORTFLn

Switch names

SWITCH-1  
SWITCH-2

Source Computer name

CYBER-170

Object Computer name

CYBER-170

3. Optimization. The compiler may or may not have optimization features. If optimization is available by option, it was used during the validation process (during a separate execution of the Compiler Validation System) to determine if its use causes the compiler to produce a program which does not give the expected results. If the optimization is invoked through the compiler call statement then it is mentioned in paragraph 1 above. If it is invoked through the introduction of syntax in other than the Data and Procedure Divisions of the source program it is shown below. Optimization which would require modification to the Data and Procedure Divisions is not considered in this report in that it is beyond the scope of the use of standard COBOL and the validation process.

There is no specific optimization option for this compiler.

4. Compiler.

Control Data Corporation, COBOL 5.1, Release Level 460 using SORT 4.5, Release Level 460.

5. Operating system.

Control Data Corporation, NOS 1.2, Release Level 460

## SECTION 5. ASCII VALIDATION

### 5.1 Purpose of ASCII Validation

The ASCII Validation is performed by running a sequence of three CCVS74 programs (SQ118, SQ119, SQ120) using special procedures. The purpose of this special run is to validate that the compiler/operating system being tested is capable of processing ASCII code represented on magnetic tape and punched cards that were produced (in accordance with the appropriate American National Standard) by another system. There is also a magnetic tape and a card file created during the validation which will be taken to another system for further processing. The purpose is to determine whether the compiler/operating system being tested can also produce ASCII representation on magnetic tape and punched cards which can be processed by a another computer system.

### 5.2 Applicable ANSI Standards

The ASCII Validation is based on several American National Standards and presumes their support by the compiler/operating system being validated. These are:

1. American National Standard Programming Language COBOL X3.23-1974
  - The CODE-SET clause is used to read and write the ASCII files.
  - The PROGRAM COLLATING SEQUENCE clause is used to process the data in ASCII mode as well as native mode.
  - The SIGN...SEPARATE clause is used for signed data and all data is in the DISPLAY (character) mode.
2. American National Standard Code for Information Interchange (ASCII) X3.4-1968. (Note that this describes the code, not the labeling and tape recording formats.)
3. American National Standard Hollerith Punched Card Code, X3.26-1970.
4. American National Standard Magnetic Tape Labels for Information Interchange, X3.27-1969.
5. American National Standard Recorded Magnetic Tape for Information Interchange (800 CPI, NZRI), X3.22-1967.
6. American National Standard Recorded Magnetic Tape for Information Interchange (1600 CPI, PR), X3.39-1973.

The language of the 1974 COBOL Standard provides the capability to accept, process, and produce ASCII code. The ASCII Standard describes the code insofar as the bit arrangement and configuration, but does not address recording techniques, record formats or any labeling scheme. The 800 CPI, NZRI magnetic tape recording standard was used to establish the recording density and techniques. (1600 CPI, PE based on X3.39-1973 "Recorded Magnetic Tape for Information Interchange" could be used under special arrangements.) The tape labeling scheme used in these tests is based on X3.27-1969 but is also compatible with the

revision to that tape label standard. Only the VOL1, HDR1, and EOF1 labels are used. The records are fixed length and unblocked.

### 5.3 ASCII Validation Process

During the validation, the Validation Manager for the Federal COBOL Compiler Testing Service uses the ASCII-encoded magnetic tape and card files in addition to the normal tape files associated with a validation. For the ASCII portion of the validation the following steps are performed:

1. The tape file and card deck (produced on another computer system) are used as input to several programs designed to validate whether the system being validated can accept and process the data as defined by the respective standards. Any changes made during this validation to the source programs reading the data are noted below in 5.4.1.
2. A tape file and card file are produced during the validation which should prove to be identical to the files described in 1 above. These two files are then processed on a different computer system to determine the degree to which the system being validated supports the ASCII standard. Any changes made during this validation to the source program producing the data are noted below in 5.4.2.

### 5.4 Results for This Validation

1. The CYBER 74 system was able to successfully process both the ANSI-labeled magnetic tape and the Hollerith card deck (both with ASCII code representations). No program modifications were necessary.
2. The CYBER 74 system produced both an ANSI labeled magnetic tape and a Hollerith card deck, which were verified later on a foreign system as being correct in ANSI format and ASCII character set. No program modifications were necessary.

## APPENDIX A

### VALIDATION SUMMARY WORKING DOCUMENT

A-1 This appendix is a working paper produced during the validation and documents the results of the compilation and execution of each of the programs comprising the CCVS. The results contained herein are based on the use of the compiler within the Validation Environment identified in this appendix. This appendix (Validation Summary Working Document) is not part of the official Validation Summary Report (VSR) and is not intended to reflect in any way the compiler's usefulness or degree of conformance to the language specifications.

The reader of this appendix should keep in mind that the same problem area may appear in more than one program, but is considered only as one single discrepancy and as such is reflected only once in the body of the VSR. (The VSR will in turn only reference the first occurrence of the problem in the appendix.)

The reference documents for COBOL are American National Standard Programming Language COBOL (X3.23-1974), and Federal Standard COBOL (FIPS PUB 21-1).

### VALIDATION ENVIRONMENT

COMPILER IDENTIFICATION: COBOL 5.1, Release Level 460 with SORT 4.5,  
Release Level 460

COMPUTER SYSTEM: Control Data Corporation, CYBER 74, SN108  
Dual CPU  
265K extended core storage  
667 and 669 tape drives  
844 single and double density disks  
131K memory with 20 PPUs

OPERATING SYSTEM: NOS 1.2, Release Level 460



COMMUNICATION LEVEL 1 and LEVEL 2

No Communication programs were run. See Section 1.9.3.

DEBUG MODULE Level 1

DB101 thru DB105

A. Compilation:

No errors.

B. Execution:

1. Some line number values in the DEBUG-LINE register were off-target by one line, presumably a result of the parser design employed by the compiler.

DEBUG MODULE LEVEL 2

DB201 thru DB204

A. Compilation:

No errors.

B. Execution:

1. Some line number values in the DEBUG-LINE register were off-target by one line, presumably a result of the parser design employed by the compiler.

INTER-PROGRAM COMMUNICATION MODULE Level 1

IC101 thru IC115

A. Compilation:

No errors.

B. Execution:

No failures.

IC151 thru IC152

A. Compilation:

No errors.

B. Execution:

No failures.

INTER-PROGRAM COMMUNICATION MODULE Level 2

IC201 thru IC208

A. Compilation:

No errors.

B. Execution:

No failures.

INDEXED I-O MODULE Level 1

IX101 thru IX107

A. Compilation:

No errors.

B. Execution:

No failures.

INDEXED I-O MODULE Level 2

IX201 thru IX208

A. Compilation:

No errors.

B. Execution:

No failures.

LIBRARY MODULE Level 1

LB101 thru LB107

A. Compilation:

No errors.

B. Execution:

No failures.

LIBRARY MODULE Level 2

LB201 thru LB207

A. Compilation:

1. In programs LB201 through LB205, the contiguous characters, C, O, P, Y; located in comment-entries in the Identification Division, were parsed and treated as a COPY verb; e.g.,

SECURITY.  
NONE.

THIS PROGRAM TESTS THE OUTPUT OF PROGRAM LB201 TO ASSURE PROPER EXECUTION OF COPY REPLACING OF FD AND RELATED 01 ENTRIES FOR A SEQUENTIAL FILE.

was flagged by the fatal diagnostic:

1308 THIS COPY STATEMENT IS IN ERROR.

By using a compiler option to ignore the errors, no problem was presented. The programs compiled and executed successfully.

B. Execution:

No failures.



NUCLEUS MODULE Level 1

NC101 thru NC108

A. Compilation:

No errors.

B. Execution:

No failures.

NC109

A. Compilation:

No errors.

B. Execution:

1. The statement, "STOP QUOTE." failed to display a quote mark (or other character) on the operator's CRT.

2. In tests of the "DISPLAY" verb, whenever a numeric data item was DISPLAYed and the item contained a value whose representation within the described field would require a leading zero, the DISPLAY edited the output by suppressing the leading zero and inserting an additional space (reserved for minus sign, if required).

~ PICTURE 9(10) VALUE 0123456789.

DISPLAYed as:

bb123456789

NC110 thru NC113

A. Compilation:

No errors.

B. Execution:

No failures.

NC114

A. Compilation:

1. The following Data Division entry:

01 PIC-SYNTAX-TEST-19 PIC AB9.

was flagged with the fatal error:

2011 AN ALPHANUMERIC EDIT PICTURE MUST CONTAIN AT LEAST ONE -X-

AND -B-, OR -X- AND -O-, OR -X- AND -/-, OR -A- AND -O-, OR  
-A- AND -/-.

By using a compiler option to ignore the errors, no problem was presented, as no program procedure references this entry.

B. Execution:

No failures.

NC115 thru NC120

A. Compilation:

No errors.

B. Execution:

No failures.

NC151 thru NC157

A. Compilation:

No errors.

B. Execution:

No failures.

NC158

A. Compilation:

No errors.

B. Execution:

The same two errors that appeared in the execution of NC109 appeared for NC158 also.

NC159 thru NC165

A. Compilation:

No errors.

B. Execution:

No failures.

NUCLEUS MODULE Level 2

NC201 and NC202

A. Compilation:

No errors.

B. Execution:

No failures.

NC203

A. Compilation:

1. In the DATE-COMPILED paragraph in the IDENTIFICATION DIVISION, the compiler did insert the current date, but did not remove the existing comment-entry as required by paragraph 2.4.4 on page II-4 of the standard.

B. Execution:

No failures.

NC204

A. Compilation:

No errors.

B. Execution:

Error NC109.B.2 (see NC109) appeared for NC204 also.

NC205 thru NC218

A. Compilation:

No errors.

B. Execution:

No failures.

RELATIVE I-O MODULE Level 1

RL101 thru RL109

A. Compilation:

No errors.

B. Execution:

No failures.

RL151 thru RL153

A. Compilation:

No errors.

B. Execution:

No failures.

RELATIVE I-O MODULE Level 2

RL201 thru RL205

A. Compilation:

No errors.

B. Execution:

No failures.

REPORT WRITER MODULE Level 1

RW101 thru RW104

A. Compilation:

No errors.

B. Execution:

No failures.



SEGMENTATION MODULE Level 1

SG101 thru SG106

A. Compilation:

No errors.

B. Execution:

No failures.

SEGMENTATION MODULE Level 2

SG201 thru SG204

A. Compilation:

No errors.

B. Execution:

No failures.

SEQUENTIAL I-O MODULE Level 1

SQ101 thru SQ110

A. Compilation:

No errors.

B. Execution:

No failures.

SQ111

A. Compilation:

No errors.

B. Execution:

1. The object program hung in a loop at some point after the completion of CODE-TEST-1, at which a sequential file containing 595 155-character records had been created. This file employs a CODE-SET clause in its File Description entry which is equated through SPECIAL-NAMES to the STANDARD-1 set. The loop was apparently encountered while attempting to re-OPEN and READ the file which had just been created and CLOSED.

SQ112 thru SQ121

A. Compilation:

No errors.

B. Execution:

No failures.

SQ151 thru SQ153

A. Compilation:

No errors.

B. Execution:

No failures.

SEQUENTIAL I-O Level 2

SQ201 thru SQ212

A. Compilation:

No errors.

B. Execution:

No failures.

SQ213 thru SQ215

A. Compilation:

No errors.

B. Execution:

1. In these programs, which test the LINAGE clause, the LINAGE values were honored in determining the number of detail lines to be printed on each logical page, but the LINES AT BOTTOM values were ignored and the logical page size defaulted to the size of the physical printer page.

SQ216 thru SQ218

A. Compilation:

No errors.

B. Execution:

No failures.

SORT-MERGE MODULE Level 1

ST101 thru ST117

A. Compilation:

No errors.

B. Execution:

No failures.

SORT-MERGE MODULE Level 2

ST201 thru ST215

A. Compilation:

No errors.

B. Execution:

No failures.

TABLE HANDLING MODULE Level 1

TH101 thru TH111

A. Compilation:

No errors.

B. Execution:

No failures.

TH151 and TH152

A. Compilation:

No errors.

B. Execution:

No failures.

TABLE HANDLING MODULE Level 2

TH201 thru TH220

A. Compilation:

No errors.

B. Execution:

No failures.